



# TIMKEN BEARINGS TRAINING INDUSTRY



## QM INDUSTRIES QAAFL18A304SEC Flange Block Bearings

Bearing No. QAAFL18A304SEC

QAAFL18A304SEC Bearing 2D drawings and 3D CAD models

|                           |  |
|---------------------------|--|
| Category                  | Flange Block Bearings  |
| Inventory                 | 0.0  |
| Manufacturer Name         | TIMKEN   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 15.89  |
| EAN                       | 0883450168885  |
| Product Group             | M06288   |
| Number of Mounting Holes  | 4  |
| Mounting Method           | Concentric Collar  |
| Housing Style             | 4 Bolt Square Flange Block   |
| Rolling Element           | Spherical Roller Bearing   |
| Housing Material          | Cast Steel   |
| Expansion / Non-expansion | Expansion  |
| Mounting Bolts            | 3/4 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | 22218  |
| Seals                     | Double Lip Viton   |
| Housing Configuration     | 1 Piece Solid  |
| Pilot Configuration       | No Pilot   |
| Inch - Metric             | Inch   |
| Long Description          | 4 Bolt Square Flange Block; 3-1/4" Bore; 9-1/2" Bolt Circle; 6.72" Bolt Spacing; 1 Piece Solid; Concentric Collar Mount; Cast Steel; Spherical Roller Bearing; 5.18" Length Thru Bor |
|                           |  |



## TIMKEN BEARINGS TRAINING INDUSTRY

|                                    |   |
|------------------------------------|---|
| Other Features                     | Double Row   Double Collar   With Set Screw                       |
| Category                           | Flange Block  |
| UNSPSC                             | 31171501  |
| Harmonized Tariff Code             | 8483.20.40.80   |
| Noun                               | Bearing   |
| Keyword String                     | Flanged   |
| Manufacturer URL                   | <a href="http://www.qmbearings.com">http://www.qmbearings.com</a> |
| Weight / LBS                       | 35  |
| Cartridge Pilot Diameter           | 0 Inch   0 Millimeter   |
| Bolt Spacing                       | 6.72 Inch   170.7 Millimeter                                      |
| D                                  | 5.18 Inch   131.572 Millimeter                                    |
| d                                  | 3.25 Inch   82.55 Millimeter                                      |
| Cartridge Pilot Depth              | 0 Inch   0 Millimeter   |
| Nominal Bolt Circle Diameter Round | 9.5 Inch   241 Millimeter   |