



TIMKEN BEARINGS TRAINING INDUSTRY

5.938 Inch | 150.825 Millimeter x 3.2500 in x 28.7500 in TIMKEN SDAF 22634 Pillow Block Bearings



SDAF 22634 Bearing 2D drawings and 3D CAD models

Bearing No. SDAF 22634

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	238.35
EAN	0087796311640
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1-3/8 Inch
Relubricatable	Yes
Insert Part Number	22334K
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row Heavy Duty
Long Description	4 Bolt Pillow Block; 5-15/16" Bore; 8-1/4" Base to Center Height; Tapered Adapter Sleeve Mount; Spherical Roller Bearing; 23" Minimum Bolt Spacing; 25"



TIMKEN BEARINGS TRAINING INDUSTRY

	Bolt Spacing Maximum; Relubr
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	SDAF 22634
Weight / LBS	525
d	5.938 Inch 150.825 Millimeter
B	8.25 Inch 209.55 Millimeter
Nominal Bolt Center to Center	23.8 Inch 603.3 Millimeter
D	11.125 Inch 282.575 Millimeter
Bolt Spacing Minimum	23 Inch 584.2 Millimeter
Actual Bolt Center to Center	0 Inch 0 Millimeter
Bolt Spacing Maximum	25 Inch 635 Millimeter
Diameter S-1	5 15/16 in
A	8.2500 in
B	28.7500 in
C	10.5000 in
D	3.2500 in
E Max.	25.0000 in
E Min.	23.0000 in
F	6.75 in
H ¹	17.1250 in
Oil Level K	3.0625 in
L ²	11.1250 in
Y	3.5938 in



TIMKEN BEARINGS TRAINING INDUSTRY

No. of Base Bolts Required	4
Size of Base Bolts Required	0.375 in
Adapter Assembly Number ³	SNW-134 x 5-15/16
Housing Only ⁴	SDAF634
Bolt Hole Length	2.375 in
Bolt Hole Width	1.375 in
Assembly Weight	525.000 lb
Triple Seal 2 Req ' d	LOR 215
Full Timken Part Number	SDAF22634